

1: Identification of the Substance and Supplier

Product Name **BLIZZARD 720SC**

Recommended Use Fungicide

Suppliers Details Orion AgriScience Ltd

Unit 1, 15 Sir Gil Simpson Drive, Harewood, Christchurch, 8053

PO Box 39 071, Harewood, Christchurch, 8545

Web Address www.orionagriscience.co.nz **Email Address** orders@orionagriscience.co.nz

(03) 928 2386 (office hours), 0800 674 6627 (free phone) Telephone Number

Emergency Telephone 0800 CHEMCALL (0800 243 622) (24 hours) **National Poison Centre** 0800 POISON (0800 764 766) (24 hours)

Date of Issue/Revision June 2020

2: Hazards Identification

Hazard Pictograms

Signal Words

Hazard Classes:

6.1B Acute Toxicity (Inhalation Cat. 2)

6.5B Skin Sensitisation (Cat. 1)

6.7B Carcinogenicity

6.9A Target Organ Systemic Toxicity (Oral Cat. 1)

8.3A Serious Eye Damage/Eye Irritation (Cat. 1)

9.1A Aquatic Ecotoxicity (Cat. 1)

9.2B Soil Ecotoxicity

9.3B Terrestrial Vertebrate Ecotoxicity

Precautionary Statements:

Prevention











Danger

Hazard Statements:

H330 Fatal if inhaled

H317 May cause an allergic skin reaction

H351 Suspected of causing cancer

H372 Causes damage to organs through prolonged or repeated exposure

H318 Causes serious eye damage

H410 Very toxic to aquatic life with long lasting effects

Toxic to the soil environment Toxic to terrestrial vertebrates

P260 Do not breathe dust/fume/gas/mist/vapours/spray

P271 Use only outdoors or in a well ventilated area

P284 Wear respiratory protection

P272 Contaminated work clothing should not be allowed out of the workplace

P203 Obtain, read and follow all safety instructions before use

P280 Wear protective gloves/protective clothing/eye protection/face protection

P264 Wash hands thoroughly after handling

P270 Do not eat, drink or smoke when using this product

P280 Wear eye protection/face protection

Keep out of reach of children. Read label before use. Obtain special instructions before use. Do not use until all safety precautions have been read and understood. Avoid contact with eyes and skin. Do not breathe in the spray mist. When mixing or applying, wear personal protection as described in section 8. Take all reasonable steps to ensure that this product does not cause any significant adverse effects to the environment beyond the application area. Do not apply directly into or onto water.

P304+P340 IF INHALED: Move person to fresh air and keep comfortable for breathing

P316 Get emergency medical help immediately P320 Specific treatment is urgent (see section 4)

Response

Page: 1 of 6



P302+P352 IF ON SKIN: Wash with plenty of water

P333+P317 If skin irritation or rash occurs: Get medical help

P321 Specific treatment (See first aid instructions)

P362+P364 Take off contaminated clothing and wash it before reuse

P318 If exposed or concerned, get medical advice

P319 Get medical help if you feel unwell

P305+354+338 IF IN EYES: Immediately rinse with water for several minutes. Remove

contact lenses if present and easy to do. Continue rinsing

P317 Get medical help P391 Collect spillage

First aid measures described in section 4. Contain and collect spillage for disposal. In an emergency call 111, Police or Fire Brigade. For specialist advice in an emergency only,

call 0800 CHEMCALL (0800 243 6225) (24 hrs).

Storage P403+P233 Store in a well ventilated place. Keep container tightly closed

P405 Store locked up

Keep out of reach of children

Disposal P501 Dispose of contents by using it in accordance with this label. Dispose of the

container via AgRecovery after triple rinsing (use the rinsate for spraying).

3: Composition/ Information on Ingredients

Ingredient CAS No Content (% w/v)

Chlorothalonil (active ingredient) 1897-45-6 72
Ethylene glycol 107-21-1 <10

Other ingredients Proprietary Remainder

4: First Aid Measures

If medical advice is needed, have product container or label at hand. If exposed or concerned, get medical advice. For advice call the National Poisons Centre or a Doctor

Ingestion: Seek medical advice if feeling unwell

Skin Contact: Wash with plenty of soap and water. Seek medical advice if irritation or rash occurs.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if easy to do so. Continue rinsing.

Seek medical advice immediately

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice

immediately

Workplace Facilities: Hand wash facility. Eye wash facility

Advice to Doctor: No specific antidote. Treat symptomatically

National Poison Centre 0800 POISON (0800 764 766) (24 hours)

Symptoms of Exposure which could occur if this material is not handled in accordance with instructions:

Ingestion: Abdominal pain, burning sensation

Skin Contact: Irritation. Contact may induce an allergic response in susceptible individuals

Eye Contact:Irritation and serious eye damageInhalation:Irritation, burning sensation.

5: Fire-Fighting Measures

Fire/Explosion Hazard Non-Flammable

HAZCHEM Code 2X ERP Guide No 34

Extinguishing Media Water spray, foam, dry chemical or C02. Avoid water jet.

Fire Fighting Instructions During a fire, toxic fumes may be emitted. Wear self-contained breathing apparatus. Contain runoff.

Page: 2 of 6



Specific Hazards Arising from Fire

No data available

6: Accidental Release Measures

Personal Precautions Caution: Floors may be slippery if wet. Wear personal protective clothing and equipment as described in

section 8. Exclude non-essential people from the area.

Environmental Precautions Prevent further spillage or leakage. Prevent material from entering drains, waterways, etc.

Clean Up Absorb spillage with inert material such as spill kit, sand or cat litter. Collect and place in a sealable

container for disposal. Wash down affected area with water and detergent. Absorb and collect washings for

disposal. Dispose of safely to a suitable landfill.

7: Handling and Storage

Keep out of reach of children. Store in the original tightly closed container in a locked and secure area. Storage:

Handling and Use: Keep out of reach of children. Refer to Prevention statements in section 2 above. Keep people and animals

away from the area while spraying and for the duration of the REI.

REI Until spray has dried

8: Exposure Controls / Personal Protection

Tolerable Exposure Limit None established

Workplace Exposure Standards Ethylene glycol (vapour and mist) 50ppm (127 mg/m3)

Engineering Controls Select spray application equipment to minimize exposure to operator and bystanders

Personal Protection:

Eve Safety glasses/goggles (or full face respirator incorporating visor) when mixing or applying

Skin Cotton overalls snugly fitting at the neck, wrist and ankle, boots and waterproof gloves when mixing and

applying

Not required where spray mist is not inhaled. Otherwise, respirator (organic vapour and particulate matter) Respiratory

is required.

Clean protective equipment after use

9: Physical and Chemical Properties

Appearance Off White to beige opaque Liquid

Odour Slightly pungent **Odour Threshold** No data available рΗ 4 - 10 (1% dispersion)

Melting Point/Freezing Point < 0°C **Boiling Point** > 100°C

Flash Point Not applicable **Flammability** Not flammable **Upper/Lower Flammability Limits** Not applicable **Vapour Pressure** No data available No data available **Vapour Density** 1.30 g/mL (approx.) **Relative Density**

Solubility in Water Dispersible Partition Coefficient: n-octanol/water See section 12 **Auto ignition Temperature** Not applicable **Decomposition Temperature** No data available **Kinematic Viscosity** No data available

10: Stability and Reactivity

Stability Stable under normal conditions

Hazardous Reactions None Expected

Page: 3 of 6



IncompatibilityNone KnownHazardous Decomposition ProductsNone Known

11: Toxicological Information

This section describes effects which could occur if this material is not handled in accordance with this data sheet and label instructions

Acute Oral ToxicityLD50 > 5000 mg/kgAcute Dermal ToxicityLD50 > 5000 mg/kgAcute Inhalation ToxicityLD50 > 0.05 mg/L

Skin Irritant/Corrosive None

Eye Irritant/Corrosive Irritation and serious eye damage

Sensitisation Effects Potential contact sensitiser in susceptible individuals

Mutagenic Effects None

Carcinogenic Effects In animal feeding studies, rats and mice fed chlorothalonil daily at higher doses over a lifetime developed

stomach and kidney tumours.

Reproductive Effects None

Specific Organ Toxicity In animal feeding studies, high doses of chlorothalonil and ethylene glycol showed kidney toxicity

12: Ecological Information

This section describes effects which could occur if this material is not handled in accordance with this data sheet and label instructions

The following information is presented in respect of the active ingredient:

Ecotoxicity • Acute Oral LD50 (Mallard ducks) 4640 mg/kg

LC50 (96 hr) (Rainbow trout) 47 μg/l

• LC50 (48 hr) (Daphnia) 70 μg/l

EC50 (120 hr) (Algae) 0.21 mg/l

Non Toxic to Bees

Persistence/degradability Biodegradable. DT50 (soil) 3 days (typical)

Bioaccumulative Potential Octanol-water partition coefficient LogP = 2.94 (moderate)

Soil Mobility Soil organic carbon water partitioning coefficient Koc = 2632 (slightly mobile)

Environmental Exposure Limit: None established

13: Disposal Considerations

Product Dispose of product by using it in accordance with the label. Waste product should be disposed of to a

suitable landfill. For disposal of large quantities contact Orion AgriScience Ltd.

Container Dispose of to a suitable landfill or via AgRecovery. Do not burn. Do not use packaging for any other

purpose.

14: Transport Information

Dangerous Goods

UN Number 2902

Proper Shipping Name PESTICIDE, LIQUID, TOXIC, N.O.S. (CHLOROTHALONIL 72%)

Class 6.1
Subsidiary Class None
Packing Group

Additional Information MARINE POLLUTANT

MTQ (Non-Commercial) 250 litres

Passenger Service Vehicle Maximum quantity 0.1 litre.

Page: 4 of 6



15 Regulatory Information	
EPA Approval No	HSR007697
ACVM Registration No	P8849
Qualified Person	Required
Certified Handler	Required
Workplace Only	Yes
Tracking	Required
Record Keeping	Required
Site Requirements under EPA Notice	A hazardous substance location compliance certificate is required
and HSWHS Regs:	A hazardous area is not required
	• Separation distances for class 3 and class 6 substances to protected places and public places is
	applicable
	Fire extinguishers are not required
	 Signage is required for more than 100 litres
	 An emergency response plan is required for more than 100 litres
	 Secondary containment is required for more than 100 litres
	 Segregation from incompatible substances (classes 1 and 5) is required
Additional Requirements	Refer to NZS 8409:2004 'Management of Agrichemicals', and relevant local and regional council plans

16. Other Information	
16: Other Information Glossary	
ADE	Acceptable Daily Exposure – A daily dose, received via any route, below which no adverse effects are
	expected over a lifetime of exposure
ACVM	Agricultural Compounds and Veterinary Medicines group of the Ministry of Primary Industries
Cat.	GHS category
Ceiling	A concentration that should not be exceeded at any time during any part of the working day
Certified Handler	A qualification issued by a Compliance Certifier to handle and use particularly toxic substances (6.1A and
	6.1B)
DT50	Time (days) for 50% reduction in concentration
EC50	Concentration required to produce an effect in 50% of organisms
Environmental Exposure Limit	Maximum concentration limit of a substance in an environmental medium, e.g., water, soil.
EPA Notice	Hazardous Property Controls Notice 2017
ERP Guide	Dangerous Goods – Initial Emergency Response Guide SNZ HB 76:2008
GHS	Globally harmonized system of classification and labelling of chemicals
Hazardous Substance Location	For locations storing hazard substances of certain classes above threshold quantities
Compliance Certificate	
Hazardous Area	A designated area designed for the presence of flammable substances - Refer AS/NZS 60079.10.1:2009
HAZCHEM Code	Emergency action code for emergency services
HSWHS Regs	Health and Safety at Work (Hazardous Substances) Regulations 2017
LC50	Concentration that will kill 50% of organisms
LD50	Dose that will kill 50% or organisms
MTQ	Maximum Transport Quantity. The maximum amount of dangerous goods that can be transported by road
	by the user
Notification	Advance notice given to neighbours and other affected parties, of details of proposed application, and
	other details as described
Octanol-Water Partition Coefficient	The partition coefficient of a substance between n-octanol and water, used as the Logarithm base 10

form, as an indicator that a substance may bioaccumulate

Page: 5 of 6



PDE Permitted Daily Exposure - A daily dose below which no adverse effects are expected over a lifetime of

exposure

Protected Place Residential properties, schools, hospitals, kindys, factories, shops, warehouses, etc., and other places where

people assemble

Public Place A place frequented by the public, including roads (does not include private property)

Qualified Person A requirement for the loader, contractor or person applying the product to hold a qualification such as a

GROWSAFE Certificate, Unit Standard 21563, etc.

Record Keeping Includes a spray diary or other record of application

REI Restricted Entry Interval – The length of time after application before entry into the treated area is

permitted without the use of protective equipment. For indoor environments, this time period commences

once ventilation after treatment begins.

Segregation Certain classes of substances must not be in contact with, and must be stored separately from, certain

other classes as specified in HSWHS Regs

Separation Distances The distances specified in Part 11 and Part 13 of HSWHS Regs between storage and/or use of hazardous

substances and protected places and/or public places

Signage Positioned at entrances to commercial premises providing information on the hazardous substances

present

Soil Adsorption Coefficient (Kd)

The ratio of the concentrations of a substance adsorbed onto a solid sorbent to that dissolved in a liquid

phase. The higher the value the less mobile the chemical is in soil

Soil Organic Carbon-Water

The ratio of the mass of a chemical that is adsorbed in the soil per unit mass of organic carbon in the soil.

Partitioning Coefficient (Koc)

The higher the value the less mobile the chemical is in soil

Short term exposure level – 15 minute time weighted average

STEL Short term exposure level – 15 minute time weighted average

Tolerable Exposure LimitMaximum concentration limit of a substance above which persons must not be exposed

Tracking For some particularly hazardous substances, a record must be kept of the transport, storage, sale and use

of the product

TWA Time weighted average calculated over an 8 hour working day

Workplace Exposure Standard An occupational health standard limiting concentrations of specified substances to which persons are

exposed

Workplace Only

A product that is restricted to a workplace only and under the supervision of a certified handler

Please Note

Users must ensure that the most up to date version of this safety data sheet is used.

This Safety Data Sheet summarises information on this product, and how to safely handle and use the product. Each user should familiarise themselves with the product label and Safety Data Sheet, and consider the information in the context of how the product will be handled and used, including in conjunction with other products. Orion AgriScience Ltd assumes no responsibility for the accuracy, completeness or suitability of this information. The user is responsible for determining the suitability and accuracy of this information for their particular purposes.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Page: 6 of 6