

orion AGRISCIENCE



DANGER

KEEP OUT OF REACH OF CHILDREN

ConvoyTM
FUNGICIDE

A systemic fungicide for disease control in
BARLEY, MAIZE, RYEGRASS and WHEAT

Active Ingredient:

250 g/litre pyraclostrobin in the form of an emulsifiable concentrate



10 Litres



PLEASE READ THE LABEL COMPLETELY BEFORE USE



HAZARD CLASSIFICATIONS: 6.1D, 6.3A, 6.4A, 6.9A, 9.1A, 9.3B

DANGER: HARMFUL, ECOTOXIC

May be harmful if swallowed or inhaled. May cause skin irritation. May cause serious eye irritation. May cause organ damage through prolonged or repeated exposure. Very toxic to aquatic organisms with long lasting effects. Toxic to terrestrial vertebrates.

PRECAUTIONS

Keep out of reach of children. Avoid contact with eyes and skin. Do not breathe in the vapour or spray mist. Do not eat, drink or smoke during use. Wash hands after use.

STORAGE

Store in the original container in a cool, well ventilated and secure area. When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of product that is older than this.

PROTECTIVE EQUIPMENT

When mixing or applying, wear chemical resistant overalls, boots, gloves, and eye protection. Wear a respirator if vapour or spray mist could be inhaled. Clean protective equipment after use. Do not take contaminated equipment or clothing off site. Wash contaminated clothing before reuse.

USE

Apply with well maintained and calibrated spray equipment. Application must be by a qualified loader, contractor or person.

DISPOSAL

Dispose of this product by using it in accordance with this label. Dispose of the container via AgRecovery after triple rinsing (use the rinsate for spraying). Do not burn. Do not use the container for any other purpose.

ENVIRONMENTAL

Take all reasonable steps to ensure that this product does not cause any significant adverse effects to the environment beyond the application area. Do not apply directly into or onto water. In the event of spillage, exclude non-essential people from the area. Wear protective equipment and prevent from entering drains. Contain and collect spillage for disposal.

First Aid

If medical advice is needed, have product container or label at hand.

If swallowed: Rinse mouth. Seek medical advice if feeling unwell.

If on skin: Wash with plenty of soap and water. Seek medical advice if irritation occurs.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if easy to do so. Continue rinsing. Seek medical advice if irritation persists.

If inhaled: Remove to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice if feeling unwell.

For advice, call the Poisons Centre on **0800 POISON (0800 764 766)** or a Doctor.

Emergency Response

In a transport emergency call **111, Police or Fire Brigade**. For specialist advice in an emergency only, call **0800 CHEMCALL (0800 243 6225)** (24 hrs).

Safety Data Sheet

Additional information is provided in the safety data sheet. Freephone **0800 ORIONAS (0800 674 6627)** or visit www.orionagriscience.co.nz

Registered pursuant to the ACVM Act 1997, No. P9703

See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to the HSNO Act 1996, No. HSR000652

See www.epa.govt.nz for approval conditions.

™CONVOY is a Trade Mark of Orion AgriScience Ltd

©CALIBRE is a Registered Trade Mark of Orion AgriScience Ltd

Registrant: Agsin Pte Ltd, Zagro Global Hub, 5 Woodlands Terrace, Singapore 738430

Distributor: Orion AgriScience Ltd, Unit 1, 15 Sir Gil Simpson Drive, Harewood, Christchurch 8053
www.orionagriscience.co.nz

Convoy™

Batch No.

Date of Manufacture

orion
0321
AGRISCIENCE



PLEASE READ THE LABEL COMPLETELY BEFORE USE

GENERAL INFORMATION

Convoy is a broad spectrum strobilurin fungicide with protectant and eradicant activity. It is locally systemic and translaminar to confer some protection to new growth. Whilst Convoy has curative activity against the early stages of infection, best results are obtained when applied prior to the onset of infection.

It is an offence to use this product on animals.

APPLICATION METHODS

Ground Application: Apply in a minimum of 150 L / ha of water.

Aerial Application: Apply in a minimum of 60 L / ha of water.

Thorough coverage of the crop is essential for best results.

MIXING

Partly fill the spray tank with water, and add the required quantity of Convoy. Maintain agitation through filling and spraying.

COMPATIBILITY

Compatible with most commonly used fungicides and insecticides.


RAINFALL

Do **NOT** apply if rain is expected within 2 hours of spraying.

WITHHOLDING PERIODS

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

Wheat, Barley (Grain)	56 days (Last application at end of ear emergence – GS 59)
Cereal (Silage/Green Feed)	28 days
Maize (Grain)	56 days
Maize (Silage/Green Feed)	28 days
Ryegrass (Seed)	35 days



PLEASE READ THE LABEL COMPLETELY BEFORE USE

RESISTANCE MANAGEMENT

GROUP	11	FUNGICIDE
-------	-----------	-----------

Convoy contains pyraclostrobin, a fungicide from the QoI (quinone outside inhibitor) mode of action group. Resistance to this fungicide could develop from excessive use. To minimise this risk use strictly in accordance with label instructions. Apply a maximum of 2 QoI fungicides per crop per season. Always apply Convoy in a tank mix with a fungicide from a different mode of action group at the label recommended rate. Consult <http://resistance.nzpps.org/index.php> for alternative modes of action and details of resistance management strategies (if any) for the crops listed on the label.

WARRANTY

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer's control. The manufacturer declines all liability for damage resulting from improper storage or use of the product.

DIRECTIONS FOR USE

Crop	Disease	Rate per Hectare	Critical Comments
Barley	Leaf Rust, Net Blotch (Spot and Net form), Powdery Mildew, Ramularia Leaf and Awn Spot, Scald, Spot Blotch	800 mL plus 600 mL Calibre®	Apply as a preventative spray on susceptible varieties and when conditions favour infection. Otherwise, apply at first sign of disease. Should disease pressure persist or re-infection occur, a further application may be required 3 - 5 weeks later. Apply up to the end of ear emergence (Zadok GS 59).
Maize	Common Rust	1L	Apply as a preventative spray on susceptible varieties and when conditions favour infection. Otherwise, apply at first sign of disease. Should disease pressure persist or re-infection occur, a further application may be required 14 – 21 days later. Do NOT apply later than tasselling stage.
Ryegrass	Stem Rust	800 mL plus 600 mL Calibre®	Apply as a preventative spray on susceptible varieties and when conditions favour infection. Otherwise, apply at first sign of disease. Should disease pressure persist or re-infection occur, a further application may be required 3 - 5 weeks later. Apply up to the end of flowering (Zadok GS 69).
Wheat	Didymella Leaf Spot, Glume Blotch, Leaf Rust, Powdery Mildew, Sooty Moulds, Speckled Leaf Blotch, Stripe Rust	800 mL plus 600 mL Calibre®	Apply as a preventative spray on susceptible varieties and when conditions favour infection. Otherwise, apply at first sign of disease. Should disease pressure persist or re-infection occur, a further application may be required 3 - 5 weeks later. Apply up to the end of ear emergence (Zadok GS 59). Note: Application may be required early in the season at mid tillering for control of Speckled Leaf Blotch.



PLEASE READ THE LABEL COMPLETELY BEFORE USE



HAZARD CLASSIFICATIONS: 6.1D, 6.3A, 6.4A, 6.9A, 9.1A, 9.3B

ANGER: HARMFUL, ECOTOXIC

May be harmful if swallowed or inhaled. May cause skin irritation. May cause serious eye irritation. May cause organ damage through prolonged or repeated exposure. Very toxic to aquatic organisms with long lasting effects. Toxic to terrestrial vertebrates.

PRECAUTIONS

Keep out of reach of children. Avoid contact with eyes and skin. Do not breathe in the vapour or spray mist. Do not eat, drink or smoke during use. Wash hands after use.

STORAGE

Store in the original container in a cool, well ventilated and secure area. When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of product that is older than this.

PROTECTIVE EQUIPMENT

When mixing or applying, wear chemical resistant overalls, boots, gloves, and eye protection. Wear a respirator if vapour or spray mist could be inhaled. Clean protective equipment after use. Do not take contaminated equipment or clothing off site. Wash contaminated clothing before reuse.

USE

Apply with well maintained and calibrated spray equipment. Application must be by a qualified loader, contractor or person.

DISPOSAL

Dispose of this product by using it in accordance with this label. Dispose of the container via AgRecovery after triple rinsing (use the rinsate for spraying). Do not burn. Do not use the container for any other purpose.

ENVIRONMENTAL

Take all reasonable steps to ensure that this product does not cause any significant adverse effects to the environment beyond the application area. Do not apply directly into or onto water. In the event of spillage, exclude non-essential people from the area. Wear protective equipment and prevent from entering drains. Contain and collect spillage for disposal.

First Aid

If medical advice is needed, have product container or label at hand.

If swallowed: Rinse mouth. Seek medical advice if feeling unwell.

If on skin: Wash with plenty of soap and water. Seek medical advice if irritation occurs.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if easy to do so. Continue rinsing. Seek medical advice if irritation persists.

If inhaled: Remove to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice if feeling unwell.

For advice, call the Poisons Centre on **0800 POISON (0800 764 766)** or a Doctor.

Emergency Response

In a transport emergency call **111, Police or Fire Brigade**. For specialist advice in an emergency only, call **0800 CHEMCALL (0800 243 6225)** (24 hrs).

Safety Data Sheet

Additional information is provided in the safety data sheet. Freephone **0800 ORIONAS (0800 674 6627)** or visit www.orionagriscience.co.nz

Registered pursuant to the ACVM Act 1997, No. P9703

See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to the HSNO Act 1996, No. HSR000652

See www.epa.govt.nz for approval conditions.

™ CONVOY is a Trade Mark of Orion AgriScience Ltd

©CALIBRE is a Registered Trade Mark of Orion AgriScience Ltd

Registrant: Agsin Pte Ltd, Zagro Global Hub, 5 Woodlands Terrace, Singapore 738430

Distributor: Orion AgriScience Ltd, Unit 1, 15 Sir Gil Simpson Drive, Harewood, Christchurch 8053

www.orionagriscience.co.nz

Convoy™

Batch No.

Date of Manufacture

orion
0321
AGRISCIENCE

