

1: Identification of the Substance and Supplier

Product Name DESIQUAT

Recommended Use Herbicide

Suppliers Details Orion AgriScience Ltd

Unit 1, 15 Sir Gil Simpson Drive, Harewood, Christchurch, 8053

PO Box 39 071, Harewood, Christchurch, 8545

 Web Address
 www.orionagriscience.co.nz

 Email Address
 orders@orionagriscience.co.nz

Telephone Number (03) 928 2386 (office hours), 0800 674 6627 (free phone)

 Emergency Telephone
 0800 CHEMCALL (0800 243 622) (24 hours)

 National Poison Centre
 0800 POISON (0800 764 766) (24 hours)

Date of Issue/Revision June 2021

2: Hazards Identification

Hazard Pictograms



Signal Words

Hazard Classes:

6.1C Acute Toxicity Inhalation (Cat. 3)

6.1D Acute Toxicity Oral (Cat. 4)

6.3A Skin Irritation (Cat. 2)

6.9A Specific Target Organ Toxicity (Cat. 1)

8.1A Corrosive to Metals (Cat. 1)

9.1A Aquatic Ecotoxicity Acute (Cat. 1)

9.3C Terrestrial Vertebrate Ecotoxicity

Precautionary Statements:

DANGER

Hazard Statements:

H331 Toxic if inhaled

H302 Harmful if swallowed

H315 Causes skin irritation

H372 Causes damage to organs through prolonged or repeated exposure

H290 May be corrosive to metals

H410 Very toxic to aquatic life with long lasting effects

Harmful to terrestrial vertebrates

P101 If medical advice is needed, have product container or label at hand

P102 Keep out of reach of children

P103 Read carefully and follow all instructions

P271 Use only outdoors or in a well ventilated area

P264 Wash hands thoroughly after handling

P270 Do not eat, drink or smoke when using this product

P280 Wear protective gloves

P260 Do not breathe dust/fume/gas/mist/vapours/spray

P234 Keep only in original packaging

Avoid contact with eyes and skin. Do not breathe in the spray mist. When mixing or applying, wear personal protection as described in section 8. Take all reasonable steps to ensure that this product does not cause any significant adverse effects to the

environment beyond the application area. Do not apply directly into or onto water.

P304+P340 IF INHALED: Move person to fresh air and keep comfortable for breathing

P316 Get emergency medical help immediately P321 First aid measures described in section 4

P301+P317 IF SWALLOWED: Get medical help

P330 Rinse mouth

P302+P352 IF ON SKIN: Wash with plenty water P332+P317 If skin irritation occurs: Get medical help

Response



P362+P364 Take off contaminated clothing and wash it before reuse

P319 Get medical help if you feel unwell

P390 Absorb spillage to prevent material damage

P391 Collect spillage

First aid measures described in section 4. Contain and collect spillage for disposal. In an emergency call 111, Police or Fire Brigade. For specialist advice in an emergency only,

call 0800 CHEMCALL (0800 243 6225) (24 hrs).

Storage P403+P233 Store in a well ventilated place. Keep container tightly closed

P405 Store locked up

P406 Store in a corrosive resistant container with a resistant inner liner

Keep out of reach of children.

Disposal P501 Dispose of contents by using it in accordance with this label. Dispose of the

container via AgRecovery after triple rinsing (use the rinsate for spraying).

3: Composition/ Information on Ingredients

Ingredient CAS No Content (% w/v)

Diquat dibromide (active ingredient) 2764-72-9 37

Other ingredients Proprietary Remainder

4: First Aid Measures

If medical advice is needed, have product container or label at hand. For advice call the National Poisons Centre or a Doctor

Ingestion: Rinse mouth. Seek medical advice immediately

Skin Contact: Wash with plenty of soap and water. Seek medical advice if irritation occurs or if feeling unwell.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if easy to do so. Continue rinsing.

Seek medical advice immediately.

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice

immediately.

Workplace Facilities: Hand wash facility. Eye wash facility

Advice to Doctor: Rapid treatment is essential. Refer to an authoritative text on treatment, e.g., Recognition and

Management of Pesticide Poisonings, US EPA, Chapter 12 Paraquat and Diquat

http://www2.epa.gov/pesticide-worker-safety/pesticide-poisoning-handbook-complete-document

Eye splashes should be referred to a specialist after initial treatment

National Poison Centre 0800 POISON (0800 764 766) (24 hours)

Symptoms of Exposure which could occur if this material is not handled in accordance with instructions:

Ingestion: Burning pain in the mouth, throat, chest and abdomen; intense nausea and vomiting; and diarrhea

Skin Contact: Irritation

Eye Contact: Irritation. Severe damage may be caused by apparently trivial contact and healing may be delayed.

Medical supervision should continue until complete healing has occurred.

Inhalation: Irritation

5: Fire-Fighting Measures

Fire/Explosion Hazard Non-Flammable

HAZCHEM Code 2X ERP Guide No 37

Extinguishing Media Water spray, foam, dry chemical or C02. Avoid water jet.

Fire Fighting InstructionsDuring a fire, toxic fumes may be emitted. Wear self-contained breathing apparatus. Contain runoff.

Specific Hazards Arising from Fire No data available

Page: 2 of 6



6: Accidental Release Measures

Personal Precautions Caution: Floors may be slippery if wet. Wear personal protective clothing and equipment as described in

section 8. Exclude non-essential people from the area.

Environmental Precautions Prevent further spillage or leakage. Prevent material from entering drains, waterways, etc.

Clean Up

Absorb spillage with inert material such as spill kit, sand or cat litter. Collect and place in a sealable

container for disposal. Wash down affected area with water and detergent. Absorb and collect washings for

disposal. Dispose of safely to a suitable landfill.

7: Handling and Storage

Storage: Keep out of reach of children. Store in the original tightly closed container in a locked and secure area.

Handling and Use: Keep out of reach of children. Refer to Precautionary statements in section 2 above. Keep people and

animals away from the area while spraying and for the duration of the REI. Do not use with a mist blower

or fogger

REI Until spray has dried

8: Exposure Controls / Personal Protection

Tolerable Exposure Limit None established

Workplace Exposure Standards Diquat dibromide 0.5 mg/m3 (8hr TWA)

Engineering ControlsSelect spray application equipment to minimize exposure to operator and bystanders

Personal Protection:

Eye Safety glasses/goggles or face shield when mixing or applying

Skin Chemical resistant coveralls with hood tightly fitting at head, wrists and ankles (e.g., Tychem F suit),

chemical resistant boots and chemical resistant gloves (e.g. nitrile, neoprene, rubber, barrier multilayer).

Respiratory Respirator (organic vapour and particulate matter)

Clean protective equipment after use

9: Physical and Chemical Properties

Appearance Dark Brown/Red Liquid

OdourNon specificOdour ThresholdNo data available

pH 3-7Melting Point/Freezing Point $< 0^{\circ}$ C
Boiling Point $> 100^{\circ}$ C
Flash Point Not applicable
Flammability Not flammable

Upper/Lower Flammability LimitsNot applicableVapour PressureNo data availableVapour DensityNo data availableRelative Density1.17 g/mL (approx.)

Solubility in Water Soluble

Partition Coefficient: n-octanol/water

Auto ignition Temperature

Decomposition Temperature

Kinematic Viscosity

Soluble

See section 12

Not applicable

No data available

10: Stability and Reactivity

Stability Stable under normal conditions

Hazardous Reactions None Expected

Incompatibility Corrosive to metals. Only use in spray tanks made of plastic or fiberglass. Do not use with aluminum,

copper, galvanised or steel tanks.

Page: 3 of 6



Hazardous Decomposition Products None known

11: Toxicological Information

This section describes effects which could occur if this material is not handled in accordance with this data sheet and label instructions

Acute Oral ToxicityLD50 > 300 mg/kgAcute Dermal ToxicityLD50 > 5000 mg/kgAcute Inhalation ToxicityLD50 > 0.5 mg/LSkin Irritant/CorrosiveCauses skin irritation

Eye Irritant/Corrosive May causes serious eye damage

Sensitisation EffectsNoneMutagenic EffectsNoneCarcinogenic EffectsNoneReproductive EffectsNone

Specific Organ Toxicity Ingestion of diquat is damaging to the kidneys and other organs

12: Ecological Information

This section describes effects which could occur if this material is not handled in accordance with this data sheet and label instructions

The following information is presented in respect of the active ingredient:

• Acute Oral LD50 (Cattle) 30 mg/l

• LC50 (96 hr) (Bluegill) 18 mg/l

EC50 (48 hr) (Daphnia) 0.77 mg/l

• EC50 (96 hr) (Algae) 0.021 mg/l

Acute Oral LD50 (Bee) 51 μg/bee (moderately toxic)

Persistence/degradability Biodegradable. DT50 (soil) 2345 days (typical)

Bioaccumulative Potential Octanol-water partition coefficient LogP = - 4.6 (low)

Soil Mobility Soil organic carbon water partitioning coefficient Koc = 2184750 (non mobile)

Environmental Exposure Limit: None established

13: Disposal Considerations

Product Dispose of product by using it in accordance with the label. Waste product should be disposed of to a

suitable landfill. For disposal of large quantities contact Orion AgriScience Ltd.

Container Dispose of to a suitable landfill or via AgRecovery. Do not burn. Do not use packaging for any other

purpose.

14: Transport Information

Dangerous Goods

UN Number 2922

Proper Shipping Name CORROSIVE LIQUID, TOXIC, N.O.S. (DIQUAT DIBROMIDE 37%)

Class 8
Subsidiary Class 6
Packing Group III

Additional Information MARINE POLLUTANT. CORROSIVE TO METAL

MTQ (Non-Commercial) 250 litres

Passenger Service Vehicle 1 litre max

15 Regulatory Information

Page: 4 of 6



EPA Approval No
ACVM Registration No
P7159
Qualified Person
Required
Certified Handler
Workplace Only
Yes

Tracking Not required
Record Keeping Required

Site Requirements under EPA Notice

A hazardous substance location compliance certificate is required

A hazardous area is not required

 Separation distances for class 3 and class 6 substances to protected places and public places is applicable

Fire extinguishers are not required

Signage is required for more than 100 litres

• An emergency response plan is required for more than 100 litres

Secondary containment is required for more than 100 litres

Segregation from incompatible substances (classes 1 and 5) is required

Additional Requirements

and HSWHS Regs:

Refer to NZS 8409:2004 'Management of Agrichemicals', and relevant local and regional council plans

The partition coefficient of a substance between n-octanol and water, used as the Logarithm base 10

Permitted Daily Exposure - A daily dose below which no adverse effects are expected over a lifetime of

16: Other Information	
Glossary	
ADE	Acceptable Daily Exposure – A daily dose, received via any route, below which no adverse effects are
	expected over a lifetime of exposure
ACVM	Agricultural Compounds and Veterinary Medicines group of the Ministry of Primary Industries
Cat.	GHS category
Ceiling	A concentration that should not be exceeded at any time during any part of the working day
Certified Handler	A qualification issued by a Compliance Certifier to handle and use particularly toxic substances (6.1A and
	6.1B)
DT50	Time (days) for 50% reduction in concentration
EC50	Concentration required to produce an effect in 50% of organisms
Environmental Exposure Limit	Maximum concentration limit of a substance in an environmental medium, e.g., water, soil.
EPA Notice	Hazardous Property Controls Notice 2017
ERP Guide	Dangerous Goods – Initial Emergency Response Guide SNZ HB 76:2008
GHS	Globally harmonized system of classification and labelling of chemicals
Hazardous Substance Location	For locations storing hazard substances of certain classes above threshold quantities
Compliance Certificate	
Hazardous Area	A designated area designed for the presence of flammable substances - Refer AS/NZS 60079.10.1:2009
HAZCHEM Code	Emergency action code for emergency services
HSWHS Regs	Health and Safety at Work (Hazardous Substances) Regulations 2017
LC50	Concentration that will kill 50% of organisms
LD50	Dose that will kill 50% or organisms
MTQ	Maximum Transport Quantity. The maximum amount of dangerous goods that can be transported by road
	by the user
Notification	Advance notice given to neighbours and other affected parties, of details of proposed application, and
	other details as described

form, as an indicator that a substance may bioaccumulate

Page: 5 of 6

PDE

Octanol-Water Partition Coefficient



exposure

Protected Place Residential properties, schools, hospitals, kindys, factories, shops, warehouses, etc., and other places where

people assemble

Public Place A place frequented by the public, including roads (does not include private property)

Qualified Person A requirement for the loader, contractor or person applying the product to hold a qualification such as a

GROWSAFE Certificate, Unit Standard 21563, etc.

Record Keeping Includes a spray diary or other record of application

REI Restricted Entry Interval – The length of time after application before entry into the treated area is

permitted without the use of protective equipment. For indoor environments, this time period commences

once ventilation after treatment begins.

Segregation Certain classes of substances must not be in contact with, and must be stored separately from, certain

other classes as specified in HSWHS Regs

Separation Distances The distances specified in Part 11 and Part 13 of HSWHS Regs between storage and/or use of hazardous

substances and protected places and/or public places

Signage Positioned at entrances to commercial premises providing information on the hazardous substances

present

Soil Adsorption Coefficient (Kd)

The ratio of the concentrations of a substance adsorbed onto a solid sorbent to that dissolved in a liquid

phase. The higher the value the less mobile the chemical is in soil

Soil Organic Carbon-WaterThe ratio of the mass of a chemical that is adsorbed in the soil per unit mass of organic carbon in the soil.

Partitioning Coefficient (Koc) The higher the value the less mobile the chemical is in soil

Short term exposure level – 15 minute time weighted average

Tolerable Exposure Limit

Maximum concentration limit of a substance above which persons must not be exposed

Tracking For some particularly hazardous substances, a record must be kept of the transport, storage, sale and use

of the product

TWA Time weighted average calculated over an 8 hour working day

Workplace Exposure Standard An occupational health standard limiting concentrations of specified substances to which persons are

exposed

Workplace Only

A product that is restricted to a workplace only and under the supervision of a certified handler

Please Note

Users must ensure that the most up to date version of this safety data sheet is used.

This Safety Data Sheet summarises information on this product, and how to safely handle and use the product. Each user should familiarise themselves with the product label and Safety Data Sheet, and consider the information in the context of how the product will be handled and used, including in conjunction with other products. Orion AgriScience Ltd assumes no responsibility for the accuracy, completeness or suitability of this information. The user is responsible for determining the suitability and accuracy of this information for their particular purposes.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Page: 6 of 6